



Micro 26[®] + Micro 26[®] -XD+

PLUS Series

The industry's most compact and productive 26' Micro scissor

- Drives at full height lift, no outriggers required
- 600 lb capacity and 300 lb deck extension capacity
- Proportional descent provides smoother positioning while regenerating energy for 22% greater duty cycles
- Improved non-marking rubber tire compound for longer wear and extended tire life
- 4-in-1 motor controller reduces system connections

Xtra-Deck[®]

- Platform within the platform to reach up 20" into tight overhead spaces
- Integrated into the unit, stows out-of-the-way
- 300 lb Xtra-Deck capacity



Micro 26[®]+

Micro 26[®]-XD+



Standard Features

Performance

- Front wheel AC direct-electric drive
- Fully proportional drive & lift controls

Safety

- Entrapment mitigation designed into controls
- Active pothole protection
- Emergency shut-off at platform & lower controls
- Non-skid metal deck construction
- Descent & all-motion alarms
- Flashing beacon
- Drive speed interlock
- Multi-axis tilt sensor
- Multiple disc brakes
- Scissor maintenance lock
- Automatic parking brake

Serviceability

- Leak Containment System[®] (LCS) Patent #11,112,060
- Lubrication-free scissor bearings
- Battery charger
- Slide-out service tray
- Onboard diagnostics – no analyzer tool required
- Hour meter
- Machine tie down points

Other Features

- Self-closing, platform gate with magnetic latch
- Theft deterrent control box bracket
- Lockable battery disconnect
- Side & rear forklift pockets

Options & Accessories

- Upper Control Box Guard
- 1,000W Inverter
- Tool Tray
- Cold Weather Package
- Proactive Platform Safety System[®] (PPSS)
- Perimeter Laser Lighting
- Anti-Fatigue Mat
- Pipe Racks
- Extended Warranty

	US	Metric
Height - Indoor		
Maximum Working Height*	31 ft 7.2 in*	9.8 m*
Maximum Platform Height*	25 ft 7.2 in*	7.8 m*
Maximum Drive Height	25 ft 7.2 in	7.8 m
Height - Outdoor		
Maximum Working Height*	24 ft 9.6 in*	7.5 m*
Maximum Platform Height*	18 ft 9.6 in*	5.7 m*
Maximum Drive Height	18 ft 9.6 in	5.7 m
Platform		
Total Lift Capacity	600 lb	272 kg
Maximum Capacity (Occupants)	2 (Indoors), 1 (Outdoors)	
Platform Length (Extended)	8 ft 7.4 in	2.62 m
Platform Length (Retracted)	5 ft 7.8 in	1.72 m
Platform Width	31.8 in	0.74 m
Roll-Out Deck Extension	36 in	0.9 m
Roll-Out Deck / Xtra Deck [®] Capacity	300 lb	136 kg
Platform Entry	Full-Height Swing Gate	
Lanyard Attachment Points	4	
Key Overall Dimensions		
Length Stowed (Ladder/No ladder)	6 ft 2 in/5 ft 8 in	1.88 m/1.73 m
Overall Width	31.8 in	0.81 m
Wheelbase	4 ft 7 in	1.4 m
Overall Height - Rails Up	7 ft 7.3 in	2.32 m
Overall Height - Rails Folded	6 ft 6.4 in	1.99 m
Weight** (Approximate)		
Micro-26 [®] +**	4,380 lb**	1,987 kg**
Micro-26 [®] -XD+**	4,450 lb**	2,018 kg**
Drive Performance		
Type	Proportional	
Inside Turning Radius	8 in	0.2 m
Gradeability	30% (16.7°)	
Ground Clearance - Lowered	2.4 in	6 cm
Ground Clearance - Elevated	0.8 in	2 cm
Maximum Drive Speed - Lowered	3.3 mph	5.3 km/h
Maximum Drive Speed - Elevated	0.4 mph	0.6 km/h
Lift/Lower Speed	30/25 seconds	
Tires, Non-Marking	13 in x 5 in	33 cm x 12.7 cm
System Details		
Power Source	(4) 6V AGM Batteries, 240 Ah	

*Metric equivalent of working height adds 2 m to platform height. US adds 6 ft to platform height.

**Weight may vary with certain options or configurations.

Important – MEC lifts must be on a hard level surface while elevated.

Warranty – MEC Aerial Work Platforms carry a one (1) year warranty on defective component parts and a five (5) year warranty on defective structural parts. This warranty applies to the original owner only. Consult your MEC dealer for warranty details.

Meets or exceeds the requirements of ANSI A92.20 and CSA B354.6.17.

Specifications subject to change without notice. Photos and diagrams in this brochure are for illustrative purposes only. Contact your MEC distributor for detailed instructions on the proper use and maintenance of this equipment.

MEC Aerial Work Platforms

Tel: 559.710.2425
Toll free: 1.877.725.4515
1401 S. Madera Ave., Kerman, CA 93630 USA
Email: info@MECawp.com
www.MECawp.com

MEC[®], Leak Containment System[®], and Proactive Platform Safety System[®] are registered trademarks of California Manufacturing & Engineering Co., Inc. Leak Containment System[®] is Patent #11,112,060. 97099 DTD 0526